



COLOUR  
FROG

Insignia House, Vale Road, Spilsby  
Lincolnshire, England PE23 5HE

T: +44 (0)1790 75 58 58

E: [sales@colour-frog.co.uk](mailto:sales@colour-frog.co.uk)

W: [www.colour-frog.co.uk](http://www.colour-frog.co.uk)

## Technical Datasheet - Magnetic Signs

### Magnetic Vinyl - Matt White

Thickness: 850 micron (0.85mm)

Composition: Highest performing ferrite material with no plasticisers

Maximum Energy Product: 0.65 - 0.75 MGOe

Remanence: 1600 - 1900 G

Coercivity: 1200 - 1500 Oe

Intrinsic Coercivity: 2200 - 2500 Oe

Constant Working Temperature: -30°C to +80°C

Complies To: European Toy Safety Standard EN71 Part 3:1994 + A1:200

Reach Compliant: Yes